



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Barium hydroxide, 50 g

CAS No: 12230-71-6 EC No: 241-234-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C - Corrosive, Xn - Harmful

R phrases:

Harmful by inhalation and in contact with skin.

Causes burns.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4 Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1B

Hazard Statements: Harmful if swallowed. Harmful if inhaled.

Causes severe skin burns and eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Barium hydroxide

Signal word: Danger

Pictograms: GHS05-GHS07



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 2 of 8





Hazard statements

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

Immediately call a POISON CENTER/doctor.

SECTION 3: Composition/information on ingredients

3.1. Substances

P310

Sum formula: H2BaO2 · 8H2O

Molecular weight: 315,46

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
241-234-5	Barium hydroxide	100 %
12230-71-6	C - Corrosive, Xn - Harmful R20/21-34	
	Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B; H302 H332 H314	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Medical treatment necessary.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 3 of 8

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Avoid generation of dust. Do not breathe dust. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Take up mechanically. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe dust.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 4 of 8

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: solid
Colour: colourless

Odour: No data available

Test method

pH-Value (at 20 °C): 12,5 50 g/l

Changes in the physical state

Melting point: 78 °C
Initial boiling point and boiling range: No data available
Sublimation point: No data available
Softening point: No data available
Flash point: No data available

Flammability

Solid: No data available
Gas: No data available
Lower explosion limits: No data available
Upper explosion limits: No data available
Ignition temperature: No data available

Auto-ignition temperature

Solid: No data available Gas: No data available Vapour pressure: No data available No data available Vapour pressure: Density: 2.18 a/cm3 Water solubility: No data available Partition coefficient: No data available Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available No data available Vapour density: Evaporation rate: No data available Solvent separation test: No data available No data available Solvent content:

9.2. Other information

Solid content: No data available



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 5 of 8

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Acute toxicity, oral. Acute toxicity, inhalant.

CAS No	Chemical name						
	Exposure routes	Method	Dose	Species	Source		
12230-71-6	Barium hydroxide						
	oral	ATE	500 mg/kg				
	inhalative vapour	ATE	11 mg/l				
	inhalative aerosol	ATE	1,5 mg/l				

Irritation and corrosivity

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 6 of 8

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN3262

14.2. UN proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

14.3. Transport hazard class(es): 8

14.4. Packing group: Ш Hazard label: 8 Classification code: C.6**Special Provisions:** 274 Limited quantity: 1 kg Transport category: 2 Hazard No: 80 Tunnel restriction code: F



according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 7 of 8

Other applicable information (land transport)

F2

Inland waterways transport (ADN)

14.1. UN number: UN3262

14.2. UN proper shipping name: CORROSIVE SOLID, BASIC, INORGANIC, N.O.S.

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Classification code:C6Special Provisions:274Limited quantity:1 kg

Other applicable information (inland waterways transport)

F2

Marine transport (IMDG)

14.1. UN number: UN3262

14.2. UN proper shipping name: ÄTZENDER BASISCHER ANORGANISCHER FESTER STOFF, N.A.G.

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:274Limited quantity:1 kgEmS:F-A, S-B

Other applicable information (marine transport)

E2

Air transport (ICAO)

14.1. UN number: UN3262

14.2. UN proper shipping name: ÄTZENDER BASISCHER ANORGANISCHER FESTER STOFF, N.A.G.

14.3. Transport hazard class(es):814.4. Packing group:IIHazard label:8Special Provisions:A3 A803Limited quantity Passenger:5 kg

IATA-packing instructions - Passenger:859IATA-max. quantity - Passenger:15 kgIATA-packing instructions - Cargo:863IATA-max. quantity - Cargo:50 kg

Other applicable information (air transport)

E2 : Y844

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information





according to Regulation (EC) No 1907/2006

Barium hydroxide, 50 g

Print date: 14.04.2015 Product code: 9991117 Page 8 of 8

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

20/21 Harmful by inhalation and in contact with skin.

34 Causes burns.

Relevant H- and EUH-phrases (Number and full text)

H302 Harmful if swallowed.

H302+H332 Harmful if swallowed or if inhaled.

H314 Causes severe skin burns and eye damage.

H332 Harmful if inhaled.