

	according to Regulation (EC) No 1907	/2006	
	Calcium, granulated, 25 g		
Print date: 14.04.2015	Product code: 9991190		Page 1 of 7
SECTION 1: Identification of	the substance/mixture and of the company/	/undertaking	
1.1. Product identifier			
Calcium, granula	ted, 25 g		
CAS No:	7440-70-2		
Index No:	020-001-00-X		
EC No:	231-179-5		
	the substance or mixture and uses advised agai	inst	
Use of the substance/mixture			
Laboratory chem			
1.3. Details of the supplier of the	<u>e safety data sheet</u>		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de		
Internet:	www.carbolution-chemicals.de		
1.4. Emergency telephone	+49 (0)681 302-71232		
number:	145 (0)001 302-7 1232		
SECTION 2: Hazards identified	cation		
2.1. Classification of the substa	nce or mixture		
Classification according to D	Directive 67/548/EEC or 1999/45/EC		
	nger: F - Highly flammable		
R phrases:			
Contact with wate	er liberates extremely flammable gases.		
	Regulation (EC) No. 1272/2008 [CLP]		
Hazard categorie			
Substance or mix Hazard Statemer	<pre>kture which in contact with water emits flammable geter</pre>	gas: vvater-react. 2	
	ater releases flammable gases.		
2.2. Label elements			
Signal word:	Danger		
Pictograms:	GHS02		
r lolografits.	GHOUZ		



Hazard statements H261

In contact with water releases flammable gases.



according to Regulation (EC) No 1907/2006

Calcium, granulated, 25 g

Print date: 14.04.2015

Product code: 9991190

Page 2 of 7

Precautionary statements P370+P378

In case of fire: Use ... to extinguish.

SECTION 3: Composition/information on ingredients

3.1. Substances

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-179-5	calcium	100 %
7440-70-2	F - Highly flammable R15	
020-001-00-X	Water-react. 2; H261	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

D powder. Dry sand. Cement.

Unsuitable extinguishing media

Water. Foam.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Risk of selfignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.



according to Regulation (EC) No 1907/2006

Calcium, granulated, 25 g

Print date: 14.04.2015

Product code: 9991190

Page 3 of 7

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep in a cool place. Keep away from sources of ignition. - No smoking.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Granulate
Colour:	colourless
Odour:	No data available

	Test method
pH-Value:	No data available
Changes in the physical state	
Melting point:	850 °C
Initial boiling point and boiling range:	1484 °C
Sublimation point:	No data available



according to Regulation (EC) No 1907/2006

Calcium, granulated, 25 g			
Print date: 14.04.2015	Product code: 9991190	Page 4 of 7	
Softening point:	No data available		
Flash point:	No data available		
Flammability			
Solid:	No data available		
Gas:	No data available		
Lower explosion limits:	No data available		
Upper explosion limits:	No data available		
Ignition temperature:	No data available		
Auto-ignition temperature			
Solid:	No data available		
Gas:	No data available		
Vapour pressure:	No data available		
Vapour pressure:	No data available		
Density:	No data available		
Water solubility:	No data available		
Partition coefficient:	No data available		
Viscosity / dynamic:	No data available		
Viscosity / kinematic:	No data available		
Flow time:	No data available		
Vapour density:	No data available		
Evaporation rate:	No data available		
Solvent separation test:	No data available		
Solvent content:	No data available		
9.2. Other information			
Solid content:	No data available		

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Protect against: moisture. Never add water to this product. Keep away from: Material, rich in oxygen, oxidizing.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.



according to Regulation (EC) No 1907/2006

Calcium, granulated, 25 g

Print date: 14.04.2015

Product code: 9991190

Page 5 of 7

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

160506

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product



	-	according to Regulation (EC) No 1907/2006	
		Calcium, granulated, 25 g	
Print date: 14.0	04 2015	Product code: 9991190	Page 6 of 7
160506	WASTES NOT OTHERWISE	E SPECIFIED IN THE LIST; gases in pressure containers and discarded cals, consisting of or containing dangerous substances, including mixtures	
	of laboratory chemicals Classified as hazardous was		
Waste disp 150110	CLOTHING NOT OTHERWI	DRBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE SE SPECIFIED; packaging (including separately collected municipal g containing residues of or contaminated by dangerous substances	
Contamina	ted packaging Avoid contact with water. Dis	spose of waste according to applicable legislation.	
SECTION 14:	Transport information		
Land transpor	t (ADR/RID)		
<u>14.1. UN nu</u>	<u>ımber:</u>	UN 1401	
<u>14.2. UN pr</u>	oper shipping name:	CALCIUM	
<u>14.3. Trans</u>	port hazard class(es):	4.3	
<u>14.4. Packi</u>	ng group:	II	
Hazard labe	el:	4.3	
Classificatio	on code:	W2	
Limited qua	-	500 g	
Transport c		2	
Hazard No:		423	
	riction code:	D/E	
Other appli	icable information (land trans E2	sport)	
Inland waterwa	ays transport (ADN)		
<u>14.1. UN nı</u>	<u>ımber:</u>	UN 1401	
<u>14.2. UN pr</u>	oper shipping name:	CALCIUM	
14.3. Trans	port hazard class(es):	4.3	
<u>14.4. Packi</u>	ng group:	II	
Hazard labe		4.3	
Classificatio	on code:	W2	
Limited qua	intity:	500 g	
Other appli	icable information (inland wa E2	terways transport)	
Marine transp	ort (IMDG)		
<u>14.1. UN nu</u>	<u>ımber:</u>	UN 1401	
<u>14.2. UN pr</u>	oper shipping name:	CALCIUM	
<u>14.3. Trans</u>	port hazard class(es):	4.3	
<u>14.4. Packi</u>	ng group:	II	
Hazard labe	el:	4.3	
Special Pro	visions:	-	
Limited qua EmS:	intity:	500 g F-G, S-O	

Other applicable information (marine transport)

E2



according to Regulation (EC) No 1907/2006

Calcium, granulated, 25 g			
Print date: 14.04.2015	Product code: 9991190 Page 7 c		Page 7 of 7
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN 1401		
14.2. UN proper shipping name:	CALCIUM		
14.3. Transport hazard class(es):	4.3		
14.4. Packing group:	II		
Hazard label:	4.3		
Limited quantity Passenger:	5 kg		
IATA-packing instructions - Passenger:		484	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:		15 kg 490	
IATA-max. quantity - Cargo:		50 kg	
Other applicable information (air transp E2 : Y475	ort)		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	no		
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regu	ulations/legislation sp	ecific for the substance or mixture	
EU regulatory information			
Additional information			
Safety Data Sheet according	to Regulation (EC) No	o. 1907/2006 (REACH)	
National regulatory information			
Water contaminating class (D):	3 - highly water cont	taminating	
SECTION 16: Other information			
Relevant R-phrases (Number and full text) 15 Contact with water liberates extremely flammable gases. Relevant H- and EUH-phrases (Number and full text)			

Relevant H- and EUH-phrases (Number and full text)

H261 In contact with water releases flammable gases.