

# according to Regulation (EC) No 1907/2006

	n-Heptane, 250 ml		
Print date: 14.04.2015	Product code: 9991398		Page 1 of 8
SECTION 1: Identification of the s	substance/mixture and of the company/	undertaking	
1.1. Product identifier			
n-Heptane, 250 ml			
CAS No:	142-82-5		
Index No:	601-008-00-2		
EC No:	205-563-8		
1.2. Relevant identified uses of the second	ubstance or mixture and uses advised agai	nst	
Use of the substance/mixture			
Laboratory chemicals			
1.3. Details of the supplier of the safe	ety data sheet		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de		
Internet:	www.carbolution-chemicals.de		
1.4. Emergency telephone	+49 (0)681 302-71232		
number:			

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R phrases: Highly flammable. Harmful: may cause lung damage if swallowed. Irritating to skin. Vapours may cause drowsiness and dizziness. Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. **Classification according to Regulation (EC) No. 1272/2008 [CLP]** Hazard categories: Flammable liquid: Flam. Liq. 2 Aspiration hazard: Asp. Tox. 1

Aspiration hazard: Asp. Tox. 1 Skin corrosion/irritation: Skin Irrit. 2 Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Acute 1 (M-Factor = 1) Hazardous to the aquatic environment: Aquatic Chronic 1 (M-Factor = 1) Hazard Statements: Highly flammable liquid and vapour.



### according to Regulation (EC) No 1907/2006

### n-Heptane, 250 ml Product code: 9991398 Print date: 14.04.2015 Page 2 of 8 May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. 2.2. Label elements Hazardous components which must be listed on the label heptane; n-heptane Signal word: Danger Pictograms: GHS02-GHS07-GHS09 Hazard statements H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H336 May cause drowsiness or dizziness. H410 Very toxic to aquatic life with long lasting effects. **Precautionary statements** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No P210 smoking. P240 Ground/bond container and receiving equipment. Take precautionary measures against static discharge. P243 Avoid release to the environment. P273 Dispose of contents/container to .... P501 **SECTION 3: Composition/information on ingredients** 3.1. Substances

Sum formula:	C7H16
Molecular weight:	100,21

## Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
205-563-8	heptane; n-heptane	100 %
142-82-5	F - Highly flammable, Xn - Harmful, Xi - Irritant, N - Dangerous for the environment R11-65-38-67-50-53	
601-008-00-2	Flam. Liq. 2, Asp. Tox. 1, Skin Irrit. 2, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H225 H304 H315 H336 H400 H410	

Full text of R-, H- and EUH-phrases: see section 16.

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).



# according to Regulation (EC) No 1907/2006

# n-Heptane, 250 ml

Print date: 14.04.2015

Product code: 9991398

Page 3 of 8

### After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

# After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink plenty of water.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

#### 5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

# 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

# Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

# 7.2. Conditions for safe storage, including any incompatibilities

# Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.



# according to Regulation (EC) No 1907/2006

# n-Heptane, 250 ml

Print date: 14.04.2015

Product code: 9991398

Page 4 of 8

### Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
142-82-5	n-Heptane	500	2085		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

# 8.2. Exposure controls

# Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

#### Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

#### Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

## Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	No data available

	Test metho	d
pH-Value:	No data available	
Changes in the physical state		
Initial boiling point and boiling range:	98 °C	
Sublimation point:	No data available	
Softening point:	No data available	
Flash point:	-4 °C	
Flammability		
Solid:	No data available	
Gas:	No data available	
Lower explosion limits:	1,1 vol. %	



# according to Regulation (EC) No 1907/2006

	n-Heptane, 250 ml	
Print date: 14.04.2015	Product code: 9991398	Page 5 of 8
Upper explosion limits:	7 vol. %	
Ignition temperature:	No data available	
Auto-ignition temperature		
Solid:	No data available	
Gas:	223 °C	
Vapour pressure: (at 20 °C)	53,3 hPa	
Vapour pressure: (at 37,7 °C)	110,7 hPa	
Density:	0,68 g/cm³	
Water solubility:	No data available	
Partition coefficient:	5	
Viscosity / dynamic:	No data available	
Viscosity / kinematic:	No data available	
Flow time:	No data available	
Vapour density:	No data available	
Evaporation rate:	No data available	
Solvent separation test:	No data available	
Solvent content:	No data available	
9.2. Other information		
Solid content:	No data available	

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

# 10.3. Possibility of hazardous reactions

No data available

# 10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

# 10.5. Incompatible materials

Oxidizing agents, strong.

### 10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

#### Toxicocinetics, metabolism and distribution

Toxicological data are not available.

### Acute toxicity

Toxicological data are not available.

### Irritation and corrosivity

Vapours may cause drowsiness and dizziness. After skin contact: Irritant.

#### Sensitising effects

No data available



according to Regulation (EC) No 1907/2006

# n-Heptane, 250 ml

Print date: 14.04.2015

Product code: 9991398

Page 6 of 8

# Severe effects after repeated or prolonged exposure

No data available

# Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

### Specific effects in experiment on an animal

No data available

#### Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

# Practical experience

#### Observations relevant to classification

No data available

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

12.2. Persistence and degradability

No data available

# 12.3. Bioaccumulative potential

No data available

# 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No data available

#### **Further information**

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

# Advice on disposal

160506

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Waste disposal number of waste from residues/unused products

WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals.

Classified as hazardous waste.

# Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

# Waste disposal number of contaminated packaging



# according to Regulation (EC) No 1907/2006

	according to Regulation (EC) No 1907/2006	
	n-Heptane, 250 ml	
Print date: 14.04.2015	Product code: 9991398	Page 7 of 8
CLOTHING NOT OTHER	SORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE WISE SPECIFIED; packaging (including separately collected municipal ing containing residues of or contaminated by dangerous substances aste.	
Contaminated packaging Non-contaminated packag substance itself.	les may be recycled. Handle contaminated packages in the same way as the	
SECTION 14: Transport information		
Land transport (ADR/RID)		
<u>14.1. UN number:</u>	UN 1206	
14.2. UN proper shipping name:	HEPTANES	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	11	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Transport category:	2	
Hazard No:	33 D/E	
Tunnel restriction code:		
Other applicable information (land tra E2	insport)	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 1206	
14.2. UN proper shipping name:	HEPTANES	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Other applicable information (inland v E2	waterways transport)	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 1206	
14.2. UN proper shipping name:	HEPTANES	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	-	
Limited quantity:	1 L	
EmS:	F-E, S-D	
Other applicable information (marine E2	transport)	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN 1206	
14.2. UN proper shipping name:	HEPTANES	



# according to Regulation (EC) No 1907/2006

	n-Heptane, 250 ml	
Print date: 14.04.2015	Product code: 9991398	Page 8 of 8
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo:	364	
IATA-max. quantity - Cargo:	60 L	
Other applicable information (air transp E2 : Y341 <u>14.5. Environmental hazards</u>	ort)	
ENVIRONMENTALLY HAZARDOUS:	yes	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	lations/legislation specific for the substance or mixture	
EU regulatory information		
Additional information		
Safety Data Sheet according	to Regulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Water contaminating class (D):	3 - highly water contaminating	
SECTION 16: Other information		

# Relevant R-phrases (Number and full text)

	· ·
11	Highly flammable.

38	Irritating to skin.
=0	

- 50 Very toxic to aquatic organisms.
- 53 May cause long-term adverse effects in the aquatic environment.
- 65 Harmful: may cause lung damage if swallowed.
- 67 Vapours may cause drowsiness and dizziness.

# Relevant H- and EUH-phrases (Number and full text)

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life.
11440	

H410 Very toxic to aquatic life with long lasting effects.