

according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml		
Print date: 14.04.2015	Product code: 9991409	Page 1 o
SECTION 1: Identification of the	ne substance/mixture and of the company	y/undertaking
1.1. Product identifier		
1-Hexene, 250 ml		
CAS No:	592-41-6	
EC No:	209-753-1	
1.2. Relevant identified uses of the	ne substance or mixture and uses advised aga	ainst
Use of the substance/mixture		
Laboratory chemic	als	
1.3. Details of the supplier of the	safety data sheet	
Seller		
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH	
Street:	Im Forstgarten 1	
Place:	D-66459 Kirkel	
Internet:	www.conatex.com	
Supplier		
Company name:	Carbolution Chemicals GmbH	
Street:	Im Stadtwald, Gebäude A1.2	
Place:	D-66123 Saarbrücken	
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232
e-mail:	michael.bauer@carbolution-chemicals.de	9
Internet:	www.carbolution-chemicals.de	
1.4. Emergency telephone number:	+49 (0)681 302-71232	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable, Xn - Harmful R phrases: Highly flammable. Harmful: may cause lung damage if swallowed.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable liquid: Flam. Liq. 2 Aspiration hazard: Asp. Tox. 1 Hazard Statements: Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.

2.2. Label elements

Signal word: Pictograms:

Danger GHS02-GHS08





according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml		
Print date: 14.04.2015	Product code: 9991409	Page 2 of 7
Hazard statements		
H225	Highly flammable liquid and vapour.	
H304	H304 May be fatal if swallowed and enters airways.	
Precautionary stateme	ints	
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.		
P301+P310	P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor.	
P331	Do NOT induce vomiting.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C6H12
Molecular weight:	84,16

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
209-753-1	1-Hexene	100 %
592-41-6	F - Highly flammable, Xn - Harmful R11-65	
	Flam. Liq. 2, Asp. Tox. 1; H225 H304	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml

Print date: 14.04.2015

Product code: 9991409

Page 3 of 7

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition. - No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).



Test method

according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml

Print date: 14.04.2015

Product code: 9991409

Page 4 of 7

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	colourless
Odour:	No data available

pH-Value:	No data available
Changes in the physical state	
Initial boiling point and boiling range:	0° C
Sublimation point:	No data available
Softening point:	No data available
Flash point:	-25 °C
Flammability	
Solid:	No data available
Gas:	No data available
Lower explosion limits:	1,2 vol. %
Upper explosion limits:	No data available
Ignition temperature:	No data available
Auto-ignition temperature	
Solid:	No data available
Gas:	253 °C
Vapour pressure: (at 21,1 °C)	206,6 hPa
Vapour pressure:	413,3 hPa
(at 37,7 °C)	
Density:	No data available
Water solubility:	No data available
Partition coefficient:	No data available
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Vapour density:	No data available
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
9.2. Other information	
Solid content:	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available



according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml

Print date: 14.04.2015

Product code: 9991409

Page 5 of 7

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

No data available

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).



according to Regulation (EC) No 1907/2006

1-Hexene, 250 ml

Print date: 14.04.2015

Product code: 9991409

Page 6 of 7

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN2370	
14.2. UN proper shipping name:	1-HEXENE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Transport category:	2	
Hazard No:	33	
Tunnel restriction code:	D/E	
Other applicable information (land transport) E2		
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN2370	
14.2. UN proper shipping name:	1-HEXENE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	1 L	
Other applicable information (inland wa	terways transport)	



according to Regulation (EC) No 1907/2006

	1-Hexene, 250 ml	
Print date: 14.04.2015	Product code: 9991409	Page 7 of 7
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN2370	
14.2. UN proper shipping name:	1-HEXENE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Special Provisions:	-	
Limited quantity: EmS:	1 L F-E, S-D	
Other applicable information (marine		
E2	. ,	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN2370	
14.2. UN proper shipping name:	1-HEXENE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
Limited quantity Passenger:	1 L	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	5 L 364	
IATA-max. quantity - Cargo:	60 L	
Other applicable information (air trans	sport)	
E2 : Y341		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental re	gulations/legislation specific for the substance or mixture	
EU regulatory information		
2004/42/EC (VOC):	100 %	
Additional information		
Safety Data Sheet accordi	ng to Regulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Water contaminating class (D):	3 - highly water contaminating	
SECTION 16: Other information		
Relevant R-phrases (Number and full11Highly flammable.65Harmful: may cause	text) lung damage if swallowed.	
Relevant H- and EUH-phrases (Number		
H225 Highly flam	mable liquid and vapour.	
H304 May be fata	I if swallowed and enters airways.	