

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 1 of 7

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Magnesium, ribbon, 25 g

CAS No: 7439-95-4

EC No: 231-104-6

1.2. Relevant identified uses of the substance or mixture and uses advised against**Use of the substance/mixture**

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet**Seller**

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1

Place: D-66459 Kirkel

Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH

Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone number: +49 (0)681 302-71232**SECTION 2: Hazards identification****2.1. Classification of the substance or mixture****Classification according to Directive 67/548/EEC or 1999/45/EC**

Indications of danger: F - Highly flammable

R phrases:

Highly flammable.

Contact with water liberates extremely flammable gases.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable solid: Flam. Sol. 1

Substance or mixture which in contact with water emits flammable gas: Water-react. 2

Hazard Statements:

Flammable solid.

In contact with water releases flammable gases.

2.2. Label elements

Signal word: Danger

Pictograms: GHS02



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 2 of 7

Hazard statements

H228 Flammable solid.
 H261 In contact with water releases flammable gases.

Precautionary statements

P370+P378 In case of fire: Use Extinguishing powder. Dry sand. to extinguish.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: Mg
 Molecular weight: 24,31

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-104-6	Magnesium	100 %
7439-95-4	F - Highly flammable R11-15	
	Flam. Sol. 1, Water-react. 2; H228 H261	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

D powder. Dry sand. Cement.

Unsuitable extinguishing media

Water. Foam.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Risk of selfignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 3 of 7

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities**Requirements for storage rooms and vessels**

Keep container dry. Keep container tightly closed. Keep in a cool place. Keep away from sources of ignition. - No smoking.

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****8.2. Exposure controls****Protective and hygiene measures**

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

Physical state:	solid
Colour:	silver grey
Odour:	No data available

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 4 of 7

Test method

pH-Value: No data available

Changes in the physical state

Melting point: 648 °C

Initial boiling point and boiling range: 1090 °C

Sublimation point: No data available

Softening point: No data available

Flash point: No data available

Flammability

Solid: No data available

Gas: No data available

Lower explosion limits: No data available

Upper explosion limits: No data available

Ignition temperature: No data available

Auto-ignition temperature

Solid: No data available

Gas: No data available

Vapour pressure: No data available

Vapour pressure: No data available

Density (at 25 °C): 1,74 g/cm³

Water solubility: No data available

Partition coefficient: No data available

Viscosity / dynamic: No data available

Viscosity / kinematic: No data available

Flow time: No data available

Vapour density: No data available

Evaporation rate: No data available

Solvent separation test: No data available

Solvent content: No data available

9.2. Other information

Solid content: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Protect against: moisture. Never add water to this product. Keep away from: Material, rich in oxygen, oxidizing.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 5 of 7

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Toxicokinetics, metabolism and distribution**

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fulfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience**Observations relevant to classification**

No data available

SECTION 12: Ecological information**12.1. Toxicity**

No data available

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Advice on disposal**

Dispose of waste according to applicable legislation.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 6 of 7

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances
Classified as hazardous waste.

Contaminated packaging

Avoid contact with water. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number: UN1869
14.2. UN proper shipping name: MAGNESIUM in pellets, turnings or ribbons
14.3. Transport hazard class(es): 4.1
14.4. Packing group: III
 Hazard label: 4.1
 Classification code: F3
 Special Provisions: 59
 Limited quantity: 5 kg
 Transport category: 3
 Hazard No: 40
 Tunnel restriction code: E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

14.1. UN number: UN1869
14.2. UN proper shipping name: MAGNESIUM in pellets, turnings or ribbons
14.3. Transport hazard class(es): 4.1
14.4. Packing group: III
 Hazard label: 4.1
 Classification code: F3
 Special Provisions: 59
 Limited quantity: 5 kg

Other applicable information (inland waterways transport)

E1

Marine transport (IMDG)

14.1. UN number: UN1869
14.2. UN proper shipping name: MAGNESIUM in Form von Pellets, Spänen oder Bändern

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 7 of 7

14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Special Provisions:	59, 920
Limited quantity:	5 kg
EmS:	F-G, S-G

Other applicable information (marine transport)

E1

Air transport (ICAO)

14.1. UN number:	UN1869
14.2. UN proper shipping name:	MAGNESIUM in Form von Pellets, Spänen oder Bändern
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Special Provisions:	A15
Limited quantity Passenger:	10 kg
IATA-packing instructions - Passenger:	446
IATA-max. quantity - Passenger:	25 kg
IATA-packing instructions - Cargo:	449
IATA-max. quantity - Cargo:	100 kg

Other applicable information (air transport)

E1

: Y443

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 3 - highly water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

- | | |
|----|---|
| 11 | Highly flammable. |
| 15 | Contact with water liberates extremely flammable gases. |

Relevant H- and EUH-phrases (Number and full text)

- | | |
|------|---|
| H228 | Flammable solid. |
| H261 | In contact with water releases flammable gases. |