

according to Regulation (EC) No 1907/2006

Print date: 14.04.2015	Product code: 9991572		Page 1 of 7
		, , , , ,	
SECTION 1: Identification of t	he substance/mixture and of the company	y/undertaking	
1.1. Product identifier			
Magnesium, ribbo			
CAS No:	7439-95-4		
EC No:	231-104-6		
	he substance or mixture and uses advised aga	ainst	
Use of the substance/mixture			
Laboratory chemi			
1.3. Details of the supplier of the	safety data sheet		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de	9	
Internet:	www.carbolution-chemicals.de		
1.4. Emergency telephone	+49 (0)681 302-71232		
number:			
SECTION 2: Hazards identific	ation		
2.1. Classification of the substar	ice or mixture		

Indications of danger: F - Highly flammable R phrases: Highly flammable. Contact with water liberates extremely flammable gases.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable solid: Flam. Sol. 1 Substance or mixture which in contact with water emits flammable gas: Water-react. 2 Hazard Statements: Flammable solid. In contact with water releases flammable gases.

2.2. Label elements

Signal word:	Danger
Pictograms:	GHS02





according to Regulation (EC) No 1907/2006

int date: 14.04.2015	Product code: 9991572	Page 2 of
Hazard statements		
H228	Flammable solid.	
H261	In contact with water releases flammable gases.	
Precautionary statemer	nts	
P370+P378	In case of fire: Use Extinguishing powder. Dry sand. to extinguish.	
CTION 3: Compositio	n/information on ingredients	

Sum formula:	Mg
Molecular weight:	24,31

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-104-6	Magnesium	100 %
7439-95-4	F - Highly flammable R11-15	
	Flam. Sol. 1, Water-react. 2; H228 H261	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

D powder. Dry sand. Cement.

Unsuitable extinguishing media

Water. Foam.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Risk of selfignition.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.



according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 3 of 7

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep in a cool place. Keep away from sources of ignition. - No smoking.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	solid
Colour:	silver grey
Odour:	No data available



according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 4 of 7

	Test method
pH-Value:	No data available
Changes in the physical state	
Melting point:	648 °C
Initial boiling point and boiling range:	1090 °C
Sublimation point:	No data available
Softening point:	No data available
Flash point:	No data available
Flammability	
Solid:	No data available
Gas:	No data available
Lower explosion limits:	No data available
Upper explosion limits:	No data available
Ignition temperature:	No data available
Auto-ignition temperature	
Solid:	No data available
Gas:	No data available
Vapour pressure:	No data available
Vapour pressure:	No data available
Density (at 25 °C):	1,74 g/cm³
Water solubility:	No data available
Partition coefficient:	No data available
Viscosity / dynamic:	No data available
Viscosity / kinematic:	No data available
Flow time:	No data available
Vapour density:	No data available
Evaporation rate:	No data available
Solvent separation test:	No data available
Solvent content:	No data available
9.2. Other information	
Solid content:	No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

No data available

10.5. Incompatible materials

Protect against: moisture. Never add water to this product. Keep away from: Material, rich in oxygen, oxidizing.



according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g

Print date: 14.04.2015

Product code: 9991572

Page 5 of 7

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

Toxicological data are not available.

Irritation and corrosivity

No data available

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.



according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g Product code: 9991572

Print date: 14.04.2015

Page 6 of 7

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Avoid contact with water. Dispose of waste according to applicable legislation.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number:</u>	UN1869
14.2. UN proper shipping name:	MAGNESIUM in pellets, turnings or ribbons
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Classification code:	F3
Special Provisions:	59
Limited quantity:	5 kg
Transport category:	3
Hazard No:	40
Tunnel restriction code:	E
Other applicable information (land trans	port)
E1	
Inland waterways transport (ADN)	
<u>14.1. UN number:</u>	UN1869
14.2. UN proper shipping name:	MAGNESIUM in pellets, turnings or ribbons
14.3. Transport hazard class(es):	4.1
14.4. Packing group:	III
Hazard label:	4.1
Classification code:	F3
Special Provisions:	59
Limited quantity:	5 kg
Other applicable information (inland wat	erways transport)
E1	
Marine transport (IMDG)	
<u>14.1. UN number:</u>	UN1869
14.2. UN proper shipping name:	
14.2. On proper shipping name.	MAGNESIUM in Form von Pellets, Spänen oder Bändern



according to Regulation (EC) No 1907/2006

Magnesium, ribbon, 25 g		
Print date: 14.04.2015	Product code: 9991572	Page 7 of 7
14.3. Transport hazard class(es):	4.1	
14.4. Packing group:	III	
Hazard label:	4.1	
Special Provisions:	59, 920	
Limited quantity: EmS:	5 kg F-G, S-G	
Other applicable information (marine tr		
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN1869	
14.2. UN proper shipping name:	MAGNESIUM in Form von Pellets, Spänen oder Bändern	
14.3. Transport hazard class(es):	4.1	
14.4. Packing group:	III	
Hazard label:	4.1	
Special Provisions:	A15	
Limited quantity Passenger:	10 kg	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	446 25 kg	
IATA-max. quantity - Passenger. IATA-packing instructions - Cargo:	449	
IATA-max. quantity - Cargo:	100 kg	
Other applicable information (air transp	ort)	
E1 : Y443		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental reg	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Additional information		
Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)		
National regulatory information		
Water contaminating class (D):	3 - highly water contaminating	
SECTION 16: Other information		
Relevant R-phrases (Number and full te	xt)	
11 Highly flammable.		
15 Contact with water liberates extremely flammable gases.		
Relevant H- and EUH-phrases (Number H228 Elammable s		

H228 Flammable solid.

H261 In contact with water releases flammable gases.