

according to Regulation (EC) No 1907/2006

Magnesium, turnings acc. to Grignard, 250 g			
Print date: 14.04.2015	Product code: 9991577		Page 1 of 7
SECTION 1: Identification of t	he substance/mixture and of the company	y/undertaking	
1.1. Product identifier			
	ngs acc. to Grignard, 250 g		
CAS No:	7439-95-4		
EC No:	231-104-6		
1.2. Relevant identified uses of the	ne substance or mixture and uses advised aga	ainst	
Use of the substance/mixture			
Laboratory chemic	cals		
1.3. Details of the supplier of the	safety data sheet		
Seller			
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH		
Street:	Im Forstgarten 1		
Place:	D-66459 Kirkel		
Internet:	www.conatex.com		
Supplier			
Company name:	Carbolution Chemicals GmbH		
Street:	Im Stadtwald, Gebäude A1.2		
Place:	D-66123 Saarbrücken		
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232	
e-mail:	michael.bauer@carbolution-chemicals.de	9	
Internet:	www.carbolution-chemicals.de		
<u>1.4. Emergency telephone</u> number:	+49 (0)681 302-71232		
SECTION 2: Hazards identification	ation		
2.1. Classification of the substance or mixture Classification according to Directive 67/548/EEC or 1999/45/EC			

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F - Highly flammable R phrases: Highly flammable. Contact with water liberates extremely flammable gases.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories: Flammable solid: Flam. Sol. 1 Substance or mixture which in contact with water emits flammable gas: Water-react. 2 Hazard Statements: Flammable solid. In contact with water releases flammable gases.

2.2. Label elements

Signal word:	Danger
Pictograms:	GHS02





according to Regulation (EC) No 1907/2006

Print date: 14.04.2015	Product code: 9991577	Page 2 of
Hazard statements		
H228	Flammable solid.	
H261	In contact with water releases flammable gases.	
Precautionary stateme	ents	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
P240	Ground/bond container and receiving equipment.	
P370+P378	In case of fire: Use Dry sand. Extinguishing powder. to extinguish.	
2.3. Other hazards		
No informa	ation available.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	Mg
Molecular weight:	24,31

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
231-104-6	Magnesium	100 %
7439-95-4	F - Highly flammable R11-15	
	Flam. Sol. 1, Water-react. 2; H228 H261	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

D -powder, Dry sand, Cement.

Unsuitable extinguishing media

Water, Foam.



according to Regulation (EC) No 1907/2006

Magnesium, turnings acc. to Grignard, 250 g

Print date: 14.04.2015

Product code: 9991577

Page 3 of 7

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air. Danger of spontaneous combustion.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Take up carefully when dry. Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Avoid contact with water. Never add water to this product.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container dry. Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Advice on storage compatibility

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls

Protective and hygiene measures

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special



according to Regulation (EC) No 1907/2006

according to Regulation (EC) No 1907/2006			
Magnesium, turnings acc. to Grignard, 250 g			
Print date: 14.04.2015	Product code: 9991577	Page 4 of 7	
above together with the su Skin protection Flame-retardant protective	ed to check the resistance to chemicals of the protective pplier of these gloves. clothing. Wear anti-static footwear and clothing	e gloves mentioned	
Respiratory protection			
In case of inadequate venti	lation wear respiratory protection.		
SECTION 9: Physical and chemical pr	roperties		
9.1. Information on basic physical and ch	emical properties		
Physical state:	solid		
Colour:	silver grey		
		Test method	
pH-Value:	not determined		
Changes in the physical state			
Melting point:	648 °C		
Initial boiling point and boiling range:	1090 °C		
Flash point:	not applicable		
Flammability Solid:	not determined		
Gas:	not applicable		
Lower explosion limits:	not determined		
Upper explosion limits:	not determined		
Auto-ignition temperature			
Solid:	not determined		
Gas:	not applicable		
Decomposition temperature:	not determined		
Oxidizing properties Not oxidizing.			
Vapour pressure: (at 621 °C)	1 hPa		
Density (at 25 °C):	1,74 g/cm³		
Water solubility:	insoluble		
Solubility in other solvents not determined			
Partition coefficient:	not determined		
Vapour density:	not determined		
Evaporation rate:	not determined		
9.2. Other information			
Solid content:	not determined		
SECTION 10: Stability and reactivity			

SECTION 10: Stability and reactivity

10.1. Reactivity

Reacts violently with water. Flammable, Ignition hazard.

10.2. Chemical stability



according to Regulation (EC) No 1907/2006

Magnesium, turnings acc. to Grignard, 250 g

Print date: 14.04.2015

Product code: 9991577

Page 5 of 7

Decomposes in contact with water.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Formation of explosive mixtures with: Water. Ignition hazard. Keep away from heat. Remove all sources of ignition. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

Protect from moisture. Never add water to this product. Keep away from: Material, oxygen-rich, oxidizing.

10.6. Hazardous decomposition products

In contact with water releases flammable gases.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Additional information on tests

This mixture is classified as hazardous according to 1999/45/EC.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

12.2. Persistence and degradability

Decomposes in contact with water.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Avoid contact with water. Dispose of waste according to applicable legislation.

UN 1869

SECTION 14: Transport information	

Land transport (ADR/RID)

14.2. UN proper shipping name:

14.1. UN number:

MAGNESIUM in pellets, turnings or ribbons



according to Regulation (EC) No 1907/2006

Magnesium, turnings acc. to Grignard, 250 g			
Print date: 14.04.2015	Product code: 9991577	Page 6 of 7	
14.3. Transport hazard class(es):	4.1		
14.4. Packing group:	III		
Hazard label:	4.1		
Classification code:	F3		
Special Provisions:	59		
Limited quantity:	5 kg		
Transport category:	3		
Hazard No: Tunnel restriction code:	40 E		
Other applicable information (land tran			
E1 Inland waterways transport (ADN)			
14.1. UN number:	UN 1869		
14.1. ON humber. 14.2. UN proper shipping name:	MAGNESIUM in pellets, turnings or ribbons		
14.3. Transport hazard class(es):	4.1		
	4.1 		
14.4. Packing group:			
Hazard label: Classification code:	4.1 F3		
Special Provisions:	59		
Limited quantity:	5 kg		
Other applicable information (inland water E1	-		
Marine transport (IMDG)			
<u>14.1. UN number:</u>	UN 1869		
14.2. UN proper shipping name:	MAGNESIUM in pellets, turnings or ribbons		
14.3. Transport hazard class(es):	4.1		
14.4. Packing group:			
Hazard label:	4.1		
Special Provisions:	59, 920		
Limited quantity:	5 kg		
EmS:	F-G, S-G		
Other applicable information (marine tr E1	ransport)		
Air transport (ICAO)			
<u>14.1. UN number:</u>	UN 1869		
14.2. UN proper shipping name:	MAGNESIUM in pellets, turnings or ribbons		
14.3. Transport hazard class(es):	4.1		
14.4. Packing group:	111		
Hazard label:	4.1		
Special Provisions:	A15 A803		
Limited quantity Passenger:	10 kg		
IATA-packing instructions - Passenger:	446 25 kg		
IATA-max. quantity - Passenger: IATA-packing instructions - Cargo:	25 kg 449		
IATA-packing instituctions - Cargo: IATA-max. quantity - Cargo:	100 kg		
Other applicable information (air trans	-		
E1	,		



according to Regulation (EC) No 1907/2006

Magnesium, turnings acc. to Grignard, 250 g Print date: 14.04.2015 Product code: 9991577 Page 7 of 7 : Y443 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: no 14.6. Special precautions for user Warning: Flammable solids. 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Additional information To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC National regulatory information Employment restrictions: Observe employment restrictions for young people. Water contaminating class (D): 3 - highly water contaminating 15.2. Chemical safety assessment For this substance a chemical safety assessment has not been carried out. **SECTION 16: Other information**

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant R-phrases (Number and full text)

11 Highly flammable.

15 Contact with water liberates extremely flammable gases.

Relevant H- and EUH-phrases (Number and full text)

- H228 Flammable solid.
- H261 In contact with water releases flammable gases.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.