

according to Regulation (EC) No 1907/2006

	Sodium hydroxide solution, approx. 1 Product code: 9991719	,	Dere 1-f	
Print date: 15.04.2015	Product code: 9991719		Page 1 of	
SECTION 1: Identification of t	the substance/mixture and of the company	//undertaking		
1.1. Product identifier				
Sodium hydroxide	e solution, approx. 1 mol/l, 500 ml			
1.2. Relevant identified uses of t	he substance or mixture and uses advised aga	<u>ainst</u>		
Use of the substance/mixture				
Laboratory chemi	cals			
1.3. Details of the supplier of the	e safety data sheet			
Seller				
Company name:	CONATEX-DIDACTIC Lehrmittel GmbH			
Street:	Im Forstgarten 1			
Place:	D-66459 Kirkel			
Internet:	www.conatex.com			
Supplier				
Company name:	Carbolution Chemicals GmbH			
Street:	Im Stadtwald, Gebäude A1.2			
Place:	D-66123 Saarbrücken			
Contact person:	Dr. Michael Bauer	Telephone: +49 (0)681 302-71232		
e-mail:	michael.bauer@carbolution-chemicals.de			
Internet:	www.carbolution-chemicals.de			
1.4. Emergency telephone_ number:	+49 (0)681 302-71232			
SECTION 2: Hazards identific	ation			

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: C - Corrosive R phrases: Causes burns.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Skin corrosion/irritation: Skin Corr. 1B Serious eye damage/eye irritation: Eye Dam. 1 Hazard Statements: Causes severe skin burns and eye damage.

2.2. Label elements

Hazardous components which must be listed on the label

Sodium hydroxide; caustic soda Signal word: Danger Pictograms: GHS05

Hazard statements

H314

Causes severe skin burns and eye damage.



according to Regulation (EC) No 1907/2006

Sodium hydroxide solution, approx. 1 mol/l, 500 ml							
Print date: 15.04.2015	Product code: 9991719	Page 2 of 8					
Precautionary statements	Precautionary statements						
P280	Wear protective gloves/protective clothing/eye protection/face protection.						
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.						
P310	Immediately call a POISON CENTER/doctor.						

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
REACH No		
215-185-5	Sodium hydroxide; caustic soda	1 - < 5 %
1310-73-2	C - Corrosive R35	
011-002-00-6	Skin Corr. 1A; H314	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air.

After contact with skin

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Do NOT induce vomiting. Potential hazards: Stomach perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings.

5.2. Special hazards arising from the substance or mixture

The product itself does not burn.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protective suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water



according to Regulation (EC) No 1907/2006

Sodium hydroxide solution, approx. 1 mol/l, 500 ml

Print date: 15.04.2015

Product code: 9991719

Page 3 of 8

separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Only use the material in places where open light, fire and other flammable sources can be kept away.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
1310-73-2	Sodium hydroxide	-	-		TWA (8 h)	WEL
		-	2		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Protect skin by using skin protective cream. After work, wash hands and face. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.



according to Regulation (EC) No 1907/2006

Sodium hydroxide solution, approx. 1 mol/l, 500 ml

Print date: 15.04.2015

Product code: 9991719

Page 4 of 8

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

Physical state:	liquid		
Colour:	colourless		
Odour:	No data available		
		Test method	
pH-Value:		No data available	
Changes in the physical state			
Initial boiling point and boiling range:		No data available	
Sublimation point:		No data available	
Softening point:		No data available	
Flash point:		No data available	
Flammability			
Solid:		No data available	
Gas:		No data available	
Lower explosion limits:		No data available	
Upper explosion limits:		No data available	
Ignition temperature:		No data available	
Auto-ignition temperature			
Solid:		No data available	
Gas:		No data available	
Vapour pressure:		No data available	
Vapour pressure:		No data available	
Density:		No data available	
Water solubility:		No data available	
Partition coefficient:		No data available	
Viscosity / dynamic:		No data available	
Viscosity / kinematic:		No data available	
Flow time:		No data available	
Vapour density:		No data available	
Evaporation rate:		No data available	
Solvent separation test:		No data available	
Solvent content:		No data available	
2. Other information			
Solid content:		No data available	

SECTION 10: Stability and reactivity



according to Regulation (EC) No 1907/2006

Sodium hydroxide solution, approx. 1 mol/l, 500 ml

Print date: 15.04.2015	Product code: 9991719	Page 5 of 8
10.1. Reactivity		
No data available		
10.3. Possibility of hazardous reactions	<u>.</u>	
No data available		
10.4. Conditions to avoid		
No data available		
10.5. Incompatible materials		
Oxidizing agents, strong.	acid.	
SECTION 11: Toxicological informat	ion	
11.1. Information on toxicological effect	<u>s</u>	
Toxicocinetics, metabolism and dist	ribution	
Toxicological data are no	t available.	
Acute toxicity		
Toxicological data are no	t available.	
Irritation and corrosivity		

after ingestion: Irritant and corrosive effects. Potential hazards: Stomach perforation.

Sensitising effects

No data available

Severe effects after repeated or prolonged exposure

No data available

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

CAS No	Chemical name					
	Aquatic toxicity Method Dose [h] [d] Species Source					
1310-73-2	Sodium hydroxide; caustic soda					
	Acute fish toxicity	LC50	45,4 mg/l	96 h	Onchorhynchus mykiss	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available



according to Regulation (EC) No 1907/2006

Sodium hydroxide solution, approx. 1 mol/l, 500 ml

Print date: 15.04.2015

Product code: 9991719

Page 6 of 8

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances Classified as hazardous waste.

Contaminated packaging

Water (with cleaning agent). Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

UN1824
SODIUM HYDROXIDE, SOLUTION
8
III
8
C5
5 L
3
80
E
ort)
UN1824
SODIUM HYDROXIDE, SOLUTION



according to Regulation (EC) No 1907/2006

Sadium	hydroxide solution, approx. 1 mol/l, 500 ml	
Print date: 15.04.2015	Product code: 9991719	Page 7 of 8
		Faye / UIO
14.3. Transport hazard class(es):	8 III	
14.4. Packing group:		
Hazard label: Classification code:	8 C5	
Limited quantity:	5 L	
Other applicable information (inland wa E1		
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
14.3. Transport hazard class(es):	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	223	
Limited quantity:	5L	
EmS:	F-A, S-B	
Other applicable information (marine tra E1	ansport)	
Air transport (ICAO)		
<u>14.1. UN number:</u>	UN1824	
14.2. UN proper shipping name:	SODIUM HYDROXIDE SOLUTION	
<u>14.3. Transport hazard class(es):</u>	8	
14.4. Packing group:	III	
Hazard label:	8	
Special Provisions:	A3 A803	
Limited quantity Passenger: IATA-packing instructions - Passenger:	1 L 852	
IATA-packing instructions - Passenger: IATA-max. quantity - Passenger:	652 5 L	
IATA-packing instructions - Cargo:	856	
IATA-max. quantity - Cargo:	60 L	
Other applicable information (air transp E1	port)	
: Y841		
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	no	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regu	ulations/legislation specific for the substance or mixture	
EU regulatory information		
Additional information		
-	g to Regulation (EC) No. 1907/2006 (REACH)	
National regulatory information		
Water contaminating class (D):	1 - slightly water contaminating	

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

	Sodium h	ydroxide solution, approx. 1 mol/l, 500 ml	
Print date: 15.04.	2015	Product code: 9991719	Page 8 of 8
Relevant R-p	hrases (Number and full text		
35	Causes severe burns.		
Relevant H- a	nd EUH-phrases (Number ar	nd full text)	
H314	Causes severe	skin burns and eye damage.	

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)