

according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

n-Pentane, 250 ml

CAS No: 109-66-0 Index No: 601-006-00-1 EC No: 203-692-4

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Laboratory chemicals

1.3. Details of the supplier of the safety data sheet

Seller

Company name: CONATEX-DIDACTIC Lehrmittel GmbH

Street: Im Forstgarten 1
Place: D-66459 Kirkel
Internet: www.conatex.com

Supplier

Company name: Carbolution Chemicals GmbH Street: Im Stadtwald, Gebäude A1.2

Place: D-66123 Saarbrücken

Contact person: Dr. Michael Bauer Telephone: +49 (0)681 302-71232

e-mail: michael.bauer@carbolution-chemicals.de

Internet: www.carbolution-chemicals.de

1.4. Emergency telephone +49 (0)681 302-71232

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Directive 67/548/EEC or 1999/45/EC

Indications of danger: F+ - Extremely flammable, Xn - Harmful, N - Dangerous for the environment

R phrases:

Extremely flammable.

Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

Toxic to aquatic organisms.

May cause long-term adverse effects in the aquatic environment.

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Flammable liquid: Flam. Liq. 2 Aspiration hazard: Asp. Tox. 1

Specific target organ toxicity - single exposure: STOT SE 3 Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Highly flammable liquid and vapour.

May be fatal if swallowed and enters airways.

May cause drowsiness or dizziness.

Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 2 of 8

2.2. Label elements

Hazardous components which must be listed on the label

pentane

Signal word: Danger

Pictograms: GHS02-GHS07-GHS09







Hazard statements

H225 Highly flammable liquid and vapour.
H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240 Ground/bond container and receiving equipment.
P243 Take precautionary measures against static discharge.

P273 Avoid release to the environment.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: C5H12 Molecular weight: 72,15

Hazardous components

EC No	Chemical name	Quantity
CAS No	Classification according to Directive 67/548/EEC	
Index No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
203-692-4	pentane	100 %
109-66-0	F+ - Extremely flammable, Xn - Harmful, N - Dangerous for the environment R12-65-66-67-51-53	
601-006-00-1	Flam. Liq. 2, Asp. Tox. 1, STOT SE 3, Aquatic Chronic 2; H225 H304 H336 H411 EUH066	

Full text of R-, H- and EUH-phrases: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Change contaminated clothing.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 3 of 8

After ingestion

Rinse mouth immediately and drink plenty of water.

4.3. Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Wear personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion hazard.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours may form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from sources of ignition.

- No smoking.

Advice on storage compatibility

Do not store together with: Material, rich in oxygen, oxidizing.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters



according to Regulation (EC) No 1907/2006

	n-Pentane, 250 ml	
Print date: 15.04.2015	Product code: 9991765	Page 4 of 8

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
109-66-0	Pentane	600	1800		TWA (8 h)	WEL
		-	-		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Change contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

Eye/face protection

Eye protection: Tightly sealed safety glasses. German Industry Norms (DIN) / European Norms (EN): DIN EN 166

Hand protection

Hand protection: Single-use gloves. Before using check leak tightness / impermeability. Use gloves only once. German Industry Norms (DIN) / European Norms (EN): DIN EN 374

Skin protection

Body protection: Lab apron. Only wear fitting, comfortable and clean protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Suitable respiratory protective equipment: particulates filter device (DIN EN 143).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid Colour: colourless

Odour: No data available

Test method

pH-Value: No data available

Changes in the physical state

Initial boiling point and boiling range: 35 °C Sublimation point: No data available Softening point: No data available Flash point: -49 °C

Flammability

Solid: No data available
Gas: No data available
Lower explosion limits: 1,4 vol. %
Upper explosion limits: 8,3 vol. %
Ignition temperature: No data available

Auto-ignition temperature

Solid: No data available
Gas: 260 °C



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Product code: 0001765	

Print date: 15.04.2015 Page 5 of 8

Vapour pressure: 579 hPa

(at 20 °C)

Vapour pressure: 1859,7 hPa

(at 55 °C)

No data available Density: No data available Water solubility:

Partition coefficient: 3.39

Viscosity / dynamic: No data available Viscosity / kinematic: No data available Flow time: No data available Vapour density: No data available Evaporation rate: No data available Solvent separation test: No data available No data available

Solvent content: 9.2. Other information

> Solid content: No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No data available

10.3. Possibility of hazardous reactions

No data available

10.4. Conditions to avoid

Keep away from heat. Ignition hazard.

10.5. Incompatible materials

Oxidizing agents, strong.

10.6. Hazardous decomposition products

In case of fire may be liberated: Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicocinetics, metabolism and distribution

Toxicological data are not available.

Acute toxicity

CAS No	Chemical name				
	Exposure routes Method Dose Species Source				Source
109-66-0	-0 pentane				
	inhalative (4 h) vapour	LC50	364 mg/l	Ratte	

Irritation and corrosivity

Vapours may cause drowsiness and dizziness.

Sensitising effects

No data available



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 6 of 8

Severe effects after repeated or prolonged exposure

Has degreasing effect on the skin. Frequently or prolonged contact with skin may cause dermal irritation.

Carcinogenic/mutagenic/toxic effects for reproduction

Due to missing data no statement can be made whether the substance fullfills the criteria of CMR categories 1 or 2. Practical experiences do not give any evidence for CMR activity of categories 1 or 2.

Specific effects in experiment on an animal

No data available

Additional information on tests

The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

Practical experience

Observations relevant to classification

No data available

SECTION 12: Ecological information

12.1. Toxicity

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Method	Dose	[h] [d]	Species	Source
109-66-0	pentane					
	Acute crustacea toxicity	EC50	9,74 mg/l	48 h	Daphnia magna	

12.2. Persistence and degradability

No data available

12.3. Bioaccumulative potential

No data available

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
109-66-0	pentane	3,39

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

No data available

12.6. Other adverse effects

No data available

Further information

Do not allow to enter into surface water or drains. The classification was carried out according to the calculation method of the Preparations Directive (1999/45/EC).

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 7 of 8

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of used product

160506 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; gases in pressure containers and discarded

chemicals; laboratory chemicals, consisting of or containing dangerous substances, including mixtures

of laboratory chemicals

Classified as hazardous waste.

Waste disposal number of contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE

CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by dangerous substances

Classified as hazardous waste.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:	UN 1265
14.2. UN proper shipping name:	Pentanes

14.3. Transport hazard class(es):	3
14.4. Packing group:	I
Hazard label:	3
Classification code:	F1
Limited quantity:	0
Transport category:	1
Hazard No:	33
Tunnel restriction code:	D/E

Other applicable information (land transport)

E3

Inland waterways transport (ADN)

14.1. UN number:	UN 1265
14.2. UN proper shipping name:	Pentanes

14.3. Transport hazard class(es):	3
14.4. Packing group:	I
Hazard label:	3
Classification code:	F1
Limited quantity:	0

Other applicable information (inland waterways transport)

F3

Marine transport (IMDG)

<u>14.1. UN number:</u>	UN 1265
14.2. UN proper shipping name:	Pentanes

14.3. Transport hazard class(es): 3
14.4. Packing group:



according to Regulation (EC) No 1907/2006

n-Pentane, 250 ml

Print date: 15.04.2015 Product code: 9991765 Page 8 of 8

Hazard label: 3
Special Provisions: Limited quantity: 0
EmS: F-E, S-D

Other applicable information (marine transport)

E3

Air transport (ICAO)

14.1. UN number:UN 126514.2. UN proper shipping name:Pentanes14.3. Transport hazard class(es):3

14.4. Packing group:
Hazard label: 3

Limited quantity Passenger: Forbidden

IATA-packing instructions - Passenger: 351
IATA-max. quantity - Passenger: 1 L
IATA-packing instructions - Cargo: 361
IATA-max. quantity - Cargo: 30 L

Other applicable information (air transport)

E3 : Forbidden

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

2004/42/EC (VOC): 100 %

Additional information

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

National regulatory information

Water contaminating class (D): 2 - water contaminating

SECTION 16: Other information

Relevant R-phrases (Number and full text)

12	Extremely flammable.
51	Toxic to aquatic organisms

May cause long-term adverse effects in the aquatic environment.

Harmful: may cause lung damage if swallowed.

Repeated exposure may cause skin dryness or cracking.

Vapours may cause drowsiness and dizziness.

Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.